

LOCKOUT/TAGOUT PRODUCTS

SECURE | SAFE | TOUGH



THE ELECTRICIAN'S
CHAMPION



CIRCUIT BREAKERS | MISCELLANEOUS ELECTRICAL

Hinged Single-Pole Breaker Lockouts

- Hinged single-pole lockout with locking post design, locks lever in off position to isolate and prevent breaker use
- Ideal where panel closure is preferred



| Description | Qty. | Part No. |
|-------------------------------------|------|----------|
| Hinged Single-Pole Breaker Lockouts | 3 | 44-810 |
| | 100 | 44-1810 |

Universal 120/277V Breaker Lockouts

- Use thumbscrew to clamp lockout securely onto switch tongue, then pull cover over thumbscrew and lock in place to prevent clamp from being loosened
- Blade design provides tighter grip with less torque on thumbscrew



| Description | Qty. | Part No. |
|--|------|----------|
| Single-Breaker Lockouts | 3 | 44-809 |
| Cleat for Single-Pole Breaker Lockouts | 3 | 44-785 |
| Single-Pole Breaker Lockouts | 50 | 44-1809 |

480/600V Single/Multi-Pole Breaker Lockouts

- Use thumbscrew to clamp lockout securely onto switch tongue, then pull cover over thumb-screw and lock in place to prevent clamp from being loosened
- Blade design provides tighter grip with less torque on thumbscrew



| Description | Qty. | Part No. |
|---|------|----------|
| 480/600V Single/ Multi-Pole Lockout | 1 | 44-807 |
| 480/600V Single/Multi-Pole Lockouts | 50 | 44-1807 |
| Cleat for 480/600V Single/Multi-Pole Lockouts | 2 | 44-786 |

Large Breaker Lockout

- Designed to lockout large 480/600V breaker switches up to 2-1/2 in. wide and 7/8 in. thick
- Easy to install – no tools required



| Description | Qty. | Part No. |
|-----------------------|------|----------|
| Large Breaker Lockout | 1 | 44-823 |

Multi-Pole Breaker Lockout


- Works with most major multi-pole breakers with tie-bar type switches from major brands including GE, ITE Sylvania, Challenger, Bryant, Westinghouse, SQUARE D (2/3 poles) and General Switch Co.
- Easy to install – thumbscrew secures and locks tie bar in place; no cable ties or tools required



| Description | Qty. | Part No. |
|----------------------------|------|----------|
| Multi-Pole Breaker Lockout | 1 | 44-783 |

Oversized Circuit Breaker Lockout System

- Unique Lockout system for oversized 480/600V circuit breakers
- System can be permanently installed into an electrical panel putting all lockout items at the point of need
- Easy installation of adhesive mounting rails – no tools required
- Pegs in mounting rails mate with holes in locking arms for security of arm when lock is in place
- Red arms lock off, green arms lock on



| Description | Qty. | Part No. |
|----------------------------------|------|----------|
| Oversized Circuit Breaker System | 1 | 44-822 |

Circuit Breaker Lockouts



44-956 44-957

- Attaches securely to breaker with simple thumb turn and clamping handle
- 44-956 is designed for breakers with wide or tall toggles
- 44-957 fits standard height and tie-bar toggles
- The narrow profile permits side-by-side breaker lockout

| Description | Part No. |
|-------------------------|----------|
| Circuit Breaker Lockout | 44-956 |
| | 44-957 |

Plug Lockouts

- Accommodates a variety of electrical plug and cord sizes to prevent accidental connection or disconnection
- Durable plastic body resists wear, chemicals, and job-site abuse
- Accommodates cable ties or padlocks (with up to 3/8 in. shackles)



44-819

| Description | Size (in.) | Part No. |
|-------------|-------------------|----------|
| 100V | 2 x 2 x 3-1/2 | 44-818 |
| 220/550V | 3-1/4 x 3-1/4 x 7 | 44-819 |

Plug Lockouts

- Plug lockout, 44-792 works with high and low voltage plugs up to 3 in. in diameter and 5-1/2 in. in length, up to 1-1/4 in. cord diameter
- Plug lockout, 44-973 works with 110V/220V plugs up to 1-3/4 in. in diameter and 2-1/2 in. in length, up to a 1/2 in. cord diameter



| Description | Part No. |
|--------------|----------|
| Plug Lockout | 44-792 |
| Plug Lockout | 44-973 |

Circuit Breaker Lockout System

- Covers most 120V - 277V including single- and multi-pole configurations
- Makes use of unique lock rail system, providing the following benefits:
 - Allows panel door to be closed even when lockouts are in place
 - Accommodates multiple locks, facilitating group lockout activity without hasps
 - Keeps weight off the breakers, protecting delicate electrical components from damage
 - Positions locks and tags outside the panel, making sure lockout activity is clearly visible to anyone in the area
- Cables are 2 ft. in length
- Lockout devices constructed of high-impact Isoplast® polymers
- Lock rails made of durable Isoplast® polymers with acrylic adhesive backing
- Snap-on** – For use on Square D NQO and other breakers that have a hole in the switch tongue. Align pins with hole and snap closed. Pins prevent switch from being thrown.
- Clamp-on** – For use on breakers that do not have a hole in the switch tongue, including multiple breakers with tie bars. Turn thumbscrew to clamp lockout securely onto switch, then snap the cover closed to prevent thumb wheel from being loosened.

44-764
Clamp-on

44-768
Snap-on



| Description | Qty. | Part No. |
|--|------|----------|
| Clamp-on lockout for breakers without hole in the switch tongue, including multi-pole breakers with tie bars | 1 | 44-764 |
| Snap-on lockout for Square D NQO and other breakers with a hole in the switch tongue | | 44-768 |
| 4 in. Lock Rail with seven lock loops | | 44-769 |

Isoplast® is a registered trademark of Lubrizol Advanced Materials, Inc.

Electric Plug Lockout

- Slides over cord prongs and locks in place to prevent cord from being plugged into an outlet
- Cannot be removed without key
- Works on any 2- or 3-prong plug



| Description | Part No. |
|-----------------------|----------|
| Electric Plug Lockout | 44-782 |

MISCELLANEOUS ELECTRICAL | SIGNS | TAGS | LOCKS

Wall Switch Lockouts

- Universal Wall Switch Lockout locks out both toggle and Decora® wall switches
- Universal design assures switch is locked on or off. Hinges open for unobstructed normal switch operation
- Standard wall switch lockout fits most wall-mounted single or three-way electrical switches



| Description | Qty. | Part No. |
|-----------------------|------|----------|
| Universal Wall Switch | 1 | 44-772 |
| Standard Wall Switch | | 44-789 |

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Cable Lockout

- Unique hasp lockout device accepts up to six 9/32 in. padlocks and comes with a 6 ft. plastic-coated steel cable



| Description | Part No. |
|----------------------------|----------|
| Cable Lockout, 6 ft. cable | 44-829 |

Ball Valve Lockout Devices


- Best available method for locking out ball valves
- Patented design fits most major brand ball valves
- Designed to lock in off position only
- Complies with OSHA lockout standard



| Valve Size (in.) | Max. Shackle Length | Material | Part No. |
|------------------|---------------------|---------------|----------|
| 1/2 to 1-1/4 | — | Polypropylene | 44-846 |
| 1-1/4 to 3 | | | 44-847 |
| 1/4 to 1 | 9/32 in. | Nylon | 44-820 |
| 1-1/4 to 3 | | Heavy Steel | 44-821 |

Adjustable Cable Lockout

- Infinitely adjustable safety hasp and cable
- Ideal for multiple circuit breaker panels and side-by-side gate valve lockouts
- Feed the cable end through the points to be locked out, then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature.
- Tough, flexible multi-stranded 6 ft., 1/4 in. diameter, steel cable is insulated with a clear vinyl coating
- Tough, lightweight, dielectric thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Up to four workers can apply their personal safety locks
- Complete with high-visibility, reusable, write-on safety labels (English, French & Spanish). Identify the responsible person, then erase for the next job.



| Description | Part No. |
|--------------------------|----------|
| Adjustable Cable Lockout | 44-808 |

Gate Valve Lockouts



- Unique rotating design allows for easy installation in confined space applications
- Each size rotates into itself and nests within the next larger size to save space
- Up to four workers can apply their personal safety locks
- High-visibility permanent safety labels (English, French & Spanish) that can be written on then erased for the next job
- Tough, lightweight, dielectric thermoplastic bodies withstand chemicals and perform effectively in extreme conditions,
- Temperature range: -50°F (-46°C) to +350°F (177°C)

| Valve Size | Qty. | Part No. |
|----------------------------------|------|----------|
| 1 in. to 3 in. | 1 | 44-824 |
| 2 in. to 5 in. | | 44-825 |
| Set of 5 sizes (1 in. to 13 in.) | | 44-817 |

Safety Lockout Padlocks w/Key Retention

- Dedicated safety lockout device reduces confusion with other locks
- Complies with OSHA's "1-key, 1-lock"
- Non-conductive, lightweight body; four colors for easy identification
- Key retention ensures keys do not get lost while not in use
- 1-1/2 in. shackle clearance; 1-1/2 in. wide lock with 1/4 in. shackle
- Keyed-alike, Master Lock® Keyed locks, 2nd key, additional colors and engraving available by special order



| Bumper Color | Part No. |
|--------------|----------|
| Blue | 44-912 |
| Black | 44-914 |
| Red | 44-916 |
| Yellow | 44-918 |

Master Lock® is a registered trademark of Master Lock Company LLC.

Lock Labels

- Easy identification of employee's locks
- Write-on, vinyl labels with peel-off adhesive backing
- Polyester over laminate protects label



| Description | Qty. | Part No. |
|-------------|----------|----------|
| Lock Labels | 8 labels | 44-898 |

Steel Padlocks

- Rustproofed, steel case with nickel-plated shackle withstands abuse and environmental hazards
- Includes two keys
- 1-1/2 in. wide lock with 9/32 in. shackle diameter
- Keyed-alike and Master Lock® Keyed locks available by special order



| Bumper Color | 3/4 In. Shackle Part No. | 2 In. Shackle Part No. |
|--------------|--------------------------|------------------------|
| Blue | 44-900 | 44-901 |
| Red | 44-906 | 44-907 |

Master Lock® is a registered trademark of Master Lock Company LLC.

Safety Lockout Hasps

- Rustproofed, plated and vinyl-coated
- Labeled hasps feature anodized aluminum alloy construction for long-term durability



| Jaw Diameter | Qty. | Part No. |
|--------------|------|----------|
| 1 in. | 3 | 44-800 |
| 1-1/2 in. | 2 | 44-801 |

Labeled Safety Lockout Hasps

- Allow up to six workers to lock out a single energy source
- Permanent "Do Not Operate" labels accept pens, pencils, and permanent markers



| Description | Color | Qty. | Part No. |
|----------------|-------|------|----------|
| Do Not Operate | Blue | 1 | 44-790 |
| | Red | 1 | 44-791 |
| | Red | 50 | 44-1791 |

Heavy-Duty Lockout Tags

- High-visibility lettering
- Laminated plastic tags have non-fade legends, resist corrosive and harsh environmental conditions
- Vinyl tags are silk screened with a 7/8 in. metal grommet; fastener included
- Exceeds OSHA's 50-lb. pullout requirement
- Matte finish for easy writing surface

Heavy-Duty Laminated

| Description | Qty. | Part No. |
|---|---------|----------|
| Do Not Operate | 5/card | 44-830 |
| | 100/box | 44-1830 |
| Do Not Operate - Electricians at Work | 5/card | 44-832 |
| Do Not Operate - (red striped background) | 5/card | 44-833 |
| | 100/box | 44-1833 |

Economy Vinyl

| Description | Qty. | Part No. |
|---|--------|----------|
| Do Not Operate | 25/bag | 44-848 |
| Do Not Operate - Electricians at Work | 25/bag | 44-843 |
| Do Not Operate - (red striped background) | 25/bag | 44-849 |

LOCKS | ACCESSORIES | KITS

Flash Protection Labels & Signs



National Electric Code 110.16 Flash Protection: Switchboards, panel boards, industrial control panels and motor control centers, in other than dwelling occupancies, that are likely to require examination, adjustment, servicing or maintenance while energized, shall be field marked to warn qualified persons of potential electric arc flash hazards. The marking shall be located so as to be clearly visible to qualified persons before examination, adjustment, servicing or maintenance of the equipment.

NEC Arc Flash, Warning (Self-Sticking Polyester)

| Size | Qty. | Part No. |
|-------------------|------|----------|
| 3-1/2 in. x 5 in. | 5 | 44-892 |
| | 100 | 44-892BK |
| 5 in. x 7 in. | 5 | 44-893 |
| | 5 | 44-894 |
| 7 in. x 10 in. | 1 | 44-896 |

NEC Arc Flash, Danger (Self-Sticking Polyester)

| Size | Qty. | Part No. |
|---------------|------|----------|
| 4 in. x 6 in. | 5 | 44-895 |

Industrial Lockout/Tagout Kit

- An industrial selection of lockout/tagout devices
- Polypropylene plastic tool box resists oil and chemicals



| Description | Part No. |
|---|----------------------|
| Industrial Lockout/Tagout Kit | 44-974 |
| Kit Includes: | Qty. Part No. |
| Hinged Single-Pole Breaker Lockouts | 3 44-810 |
| Universal 277V Breaker/Single Pole Lockouts | 2 44-809 |
| 480/600V Breaker Lockout | 1 44-807 |
| Wall Switch Lockout | 1 44-789 |
| 110V Small Plug Lockout | 1 44-818 |
| Ball Valve Lockout | 1 44-820 |
| 1 in. Safety Lockout Hasps | 2 44-800 |
| Red Labeled Lockout | 1 44-791 |
| 220/550V Plug Lockout | 1 44-819 |
| Striped Lockout Tags - Do Not Operate | 10 44-849 |
| Fuse Blockout | 1 44-815 |
| Fuse Blockout | 1 K-7349 |
| Gate Valve Lockout | 1 44-824 |
| Cleat for 277V Breaker Lockout | 1 44-785 |
| Cleat for 480/600V Breaker Lockout | 1 44-786 |
| Red Lockout Padlocks | 4 44-916 |
| Universal Multi-Pole Breaker Lockouts | 2 44-783 |
| Tool Box* (12 in. x 6 in. x 6 in.) | 1 IA-3241 |

Quantities listed in kit description are for individual pieces, not carded packages. *Tool Box color may vary.

Basic Lockout/Tagout Kit

- A great selection of the most popular lockout/tagout devices
- Small nylon zipper pouch features belt loops and d-rings for easy attachment to belts, tool pouches, tool carts and more



| Description | Part No. |
|--|----------------------|
| Basic Lockout/Tagout Kit | 44-970 |
| Kit Includes: | Qty. Part No. |
| Universal Multi-Pole Breaker Lockout | 1 44-783 |
| Wall Switch Lockout | 1 44-789 |
| 1 in. Safety Lockout Hasp | 1 44-800 |
| 480/600V Breaker Lockout | 1 44-807 |
| Universal 277V Breaker Lockout/Single Pole | 1 44-809 |
| Hinged Single-Pole Breaker Lockouts | 2 44-810 |
| 110V Plug Lockout | 1 44-818 |
| Striped Lockout Tags - Do Not Operate | 5 44-849 |
| 3/4 in. Red Padlock | 1 44-906 |
| Zipper Pouch | 1 IA-3240 |

Quantities listed in kit description are for individual pieces, not carded packages.

Standard Lockout/Tagout Kit

- Excellent selection of lockout/tagout devices, tags and locks for maintenance workers or contractors
- Small nylon zipper pouch features belt loops and d-rings for easy attachment to belts, tool pouches, tool carts and more



| Description | Part No. |
|---|----------------------|
| Standard Lockout/Tagout Kit | 44-971 |
| Kit Includes: | Qty. Part No. |
| Hinged Single-Pole Breaker Lockouts | 3 44-810 |
| Universal 277V Breaker Lockouts/Single Pole | 2 44-809 |
| 480/600V Breaker Lockout | 1 44-807 |
| Wall Switch Lockout | 1 44-789 |
| 110V Small Plug Lockout | 1 44-818 |
| 2 in. Shackle Red Padlocks | 2 44-907 |
| 1 in. Safety Lockout Hasps | 2 44-800 |
| Lockout Tags - Do Not Operate | 5 44-848 |
| Striped Lockout Tags - Do Not Operate | 5 44-849 |
| Cleat for 277V Breaker Lockout | 1 44-785 |
| Cleat for 480/600V Breaker Lockout | 1 44-786 |
| Universal Multi-Pole Breaker Lockouts | 2 44-783 |
| Zipper Pouch | 1 IA-3240 |

Quantities listed in kit description are for individual pieces, not carded packages.

Lock Stations



- Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations
- Lockable cover prevents loss of valuable safety products and innovative hinge holds cover open for easy product selection

| Description | Part No. |
|----------------------------|----------------------|
| Four-Lock Station Kit | 44-778 |
| Kit Includes: | Qty. Part No. |
| Four-Lock Station Board | 1 - |
| Safety Padlocks, Red | 4 44-916 |
| Heavy-Duty Lockout Tags | 12 - |
| 1 in. Safety Lockout Hasps | 2 44-800 |

| Description | Part No. |
|----------------------------|----------------------|
| Ten-Lock Station Kit | 44-806 |
| Kit Includes: | Qty. Part No. |
| Safety Padlocks, Red | 10 44-916 |
| Heavy-Duty Lockout Tags | 24 - |
| 1 in. Safety Lockout Hasps | 2 44-800 |



IDEAL INDUSTRIES, INC.

1375 Park Avenue, Sycamore, IL 60178,
USA (815)-895-5181
(800)-435-0705 in USA

For complete sales office contact information, visit us at
www.idealind.com

10/19 Printed in U.S.A.
Form No. P-2734

©2019 IDEAL INDUSTRIES, INC.